

NeoCoat cement paint

NeoCoat cement paint is water soluble admixture of

- White cement
- Hydrated lime powder
- polymer
- Dolomite powder
- Calcium chloride
- Pigment
- Etc

Surface preparation

- Before applying it, remove the loose particles ,dust,dirt, grease,wax with the help of a wire brush or putty knife (ms or ss Patti).
- Apply water at surface to clean surface completely
- Fill the holes and cracks with gypsum and leave for hardening.

Application

Apply 2 coat at interval of 8 hours on

Area of application:

- Cement plaster
-
- Asbestos cement sheets
- Pebble dash
- Cement sand rendering
- ACC block
- Stucco surface

Coverage

On normal surface by brush

4-5 sq.mts/kg/ 2 coat

Not: it may vary according to surface, climate conditions , humidity etc

Packaging: available in 20 kg bag

Finish :

- Smooth
- Matt

Colors available:

- Super White
- Ivory
- Mid cream
- Orange
- Yellow
- Bone white
- Off white
- Rose white
- Rose pink
- Candy pink
- Silver gray
- Dove gray
- Pale gray
- Bright pink
- Pale rose
- Sky blue
- Oxford blue
- Apple green
- Special green
- Aquamarine
- Terra cotta
- Forest green etc

Not: If any colors customization required it's possible